Admedia API (V6) - GET (Read)

Querying Generated Ad Media via the V6 REST-API

To ensure simple and efficient management of generated ad media, the V6 REST-API provides a query function. This feature allows users to retrieve relevant data regarding the ad media and their corresponding tracking links.

Endpoint

- **For Admins:** `https://SUBDOMAIN.de/ws/V6/admin/JSON/Admedia`

Required Parameters

- **campaign_id:** ID of the respective campaign (**Mandatory**)
- **project_id:** ID of the respective project (Optional)

Example Request with cURL

Bash

```
curl -X GET -H "Content-Type: application/json" -H "X-Network-ID: -1" -H "X-Auth-Token: ADMIN_APIUSER_TOKEN" -H "X-Auth-ID: ADMIN_APIUSER_LOGIN_ID" https://DOMAIN/ws/V6/admin/JSON/Admedia?campaign_id=1&project_id=50001
```

Expected Response

Upon a successful request, the API returns the following information about the ad media in JSON format:

- **id:** ID of the ad media (`Integer`)
- **title:** Title of the ad media (`String`)
- **campaign_id:** ID of the assigned campaign (`Integer`)
- **project_id:** ID of the assigned project (`Integer`, if provided)
- **clicklink:** Click link of the ad media (`String`)
- **viewlink:** View link of the ad media (`String`)
- **adcode:** JavaScript code / HTML code of the tracking link (`String`)

□□ Error Handling

- If the `campaign_id` is missing or invalid, an appropriate error message will be returned.
- If no data exists for the specified parameters, an empty dataset (array) will be returned.

Revision #1
Created 2026-05-18 10:47:05 UTC by Stefanie Goede
Updated 2026-05-18 10:50:20 UTC by Stefanie Goede