Transactions API - Documentation

The Transactions API enables the structured export and analysis of transactions recorded through the affiliate program system. It provides detailed insights into individual transactions and supports accounting, performance measurement, and integration with internal or external systems.

All APIs can be accessed in the user interface under the **Data API** menu item.

API Request

https://**www.domain.de**/api//**ACCESS-TOKEN**/advertiser/**ID**/get-orders**.csv**

Value	Description
www.domain.de	System domain
ACCESS-TOKEN	User access token
ID	User ID
.csv	Download format

Transaction API Filters

Various parameters can be used to filter the Transactions API results.
Below is an overview of all available parameters:

Transaction Status

Parameter	Value	Example	Description

`condition[l:status]`	`open`	`condition[l:status]=open`	All transactions recorded in the system as “Open”
	`confirmed`	`condition[l:status]=confirmed`	All transactions recorded in the system as “Confirmed”
	`paid`	`condition[l:status]=paid`	All transactions recorded in the system as “Paid out”
	`canceled`	`condition[l:status]=canceled`	All transactions recorded in the system as “Canceled”

Note: You can combine multiple statuses. For example: `condition[l:status]=confirmed,paid`

Parameter	Value / Example	Description
`condition[period][from]`	`01.01.2025`	Defines the **start date** of the period
`condition[period][to]`	`31.01.2025`	Defines the **end date** of the period
`condition[l:campaigns]`	`1`	Filters all baskets assigned to a specific **campaign**. This parameter can be specified multiple times.
`condition[datemode]`	`processing` `payout` `incoming`	Specifies the type of period: • `processing`: Transactions that were **validated** during the period • `payout`: Transactions that were **paid out** during the period • `incoming`: Transactions that were **recorded** during the period (transaction date)

Example:

`condition[period][from]=01.01.2025&condition[period][to]=31.01.2025&condition[datemode]=processing`

Transaction API Field Definitions

The downloaded transactions (e.g. as a `.csv` file) contain the following columns:

Field name	Description
`id`	Unique transaction ID
`status`	Transaction status
`timestamp`	Transaction timestamp

Field name	Description
`campaign_id`	Campaign to which the transaction was assigned
`attribution`	Amount of attribution paid
`delivered_tagcode_count`	Number of tags executed
`delivered_tagcode_serversided_url`	Server-side tracking call sent
`ordertoken`	Order number provided by the advertiser
`source`	Transaction source
`project_id`	ID of the project to which the transaction was assigned
`admedia_id`	Advertising material ID through which the transaction was generated
`type`	Transaction type (e.g. *Sale*, *Lead*, *View*)
`commission`	Commission assigned to the publisher
`commission_group_id`	Commission group the publisher belonged to when the transaction was created
`trigger_id`	ID of the trigger assigned to the transaction
`description`	Description provided with the transaction
`trigger_value`	Commission amount configured for the relevant trigger ID at the time of the transaction
`trigger_type`	Trigger type (fixed commission or percentage-based commission)
`turnover`	Order value relevant to the commission
`original_turnover`	Order value in the advertiser’s currency
`action_id`	Action ID provided with the transaction
`salary_id`	ID of the payout process in which the transaction was settled
`session_id`	Session ID provided with the transaction
`order_currency`	Order currency
`status_change_date`	Date of the last status change
`cancel_reason`	Cancellation reason, if the transaction was canceled
`source_turnover`	Order value provided by the advertiser
`last_change`	Timestamp of the transaction’s last change
`user_agent`	Client information for the user who triggered the transaction
`order_actions_id`	Internal reference to the click or postview relevant to the commission
`bonus_id`	ID of a bonus run

Field name	Description
`customer_journey_status`	Internal identifier for the customer journey
`ebestid`	Hashed order number displayed to the publisher
`order_timestamp`	Timestamp of the order request
`action_timestamp`	Timestamp of the action that led to the order
`trigger_title`	Trigger name
`payoutdate`	Payout date
`campaign_group_title`	Commission group title
`project_title`	Name of the project to which the transaction was assigned
`campaign_title`	Name of the campaign to which the transaction was assigned
`advertiser_id`	ID of the advertiser to which the transaction was assigned
`publisher_id`	ID of the publisher to which the transaction was assigned
`referrer`	Page on which the click-triggering action took place
`country`	Country in which the transaction was generated
`subid`	Sub-ID provided with the transaction
`publisher_prename`	Publisher’s first name (from system data)
`publisher_surname`	Publisher’s last name (from system data)
`publisher_searchtitle`	Publisher’s search title (from system data)
`basket_items`	Number of items in the basket
`sub_status`	Advertiser-internal status used to manage the transaction
`visibility`	Visibility for the publisher

Revision #1
Created 2026-10-15 11:54:48 UTC by Robert Förster
Updated 2026-10-15 12:01:00 UTC by Robert Förster